



سمپوزيوم صنعت کاشي و سراميك
از خاک تا آينده؛ تحول، نوآوري پايدار در صنعت سراميك ايران
زمان برگزاري: ۵، ۶ و ۷ آذر ۱۴۰۴



1
2
3
4
5
6
7

Title : Times New Roman 12pt, Bold

Authors : **(Times New Roman 10 pt, Bold)**¹ , (Times New Roman 10 pt)²...

Affiliations 1- (Times New Roman 10 pt)

Affiliation 2 - (Times New Roman 10 pt)

1
2

3 (All headings should be prepared using **11 pt Times New Roman, bold**)

Abstract

Each paper must be accompanied by a maximum 200 words abstract, written as a single paragraph, having 3.5 cm left and right margins. The abstract should be a self-contained, capsule description of the paper including the motivation, problem statement, approach taken, results and conclusions. Abstract should be prepared in 12 pt Times New Roman. Place it with a distance of at least 9 - 12 cm from top of the page.

Keywords: Maximum 6 words separated by commas, Times New Roman 11 pt.

¹ Corresponding Author Email (Times New Roman 10 pt)



سمپوزیوم صنعت کاشی و سرامیک
از خاک تا آینده؛ تحول، نوآوری پایدار در صنعت سرامیک ایران
زمان برگزاری: ۵، ۶ و ۷ آذر ۱۴۰۴



Introduction (Page 2)

Please use Times New Roman 12 pt and single line spacing for the body text. The full paper should be formatted in single column with margins as specified on this template (3 cm on left, right and bottom and 3.5 cm on top).

Paper Length

The submitted paper, including figures and tables should not exceed 6 pages. Please contact the Scientific Committee Chairman in case your need more than 6 pages.

Introducing Variables and Symbols

You may not give a list of symbols at the beginning/end of your paper. Please introduce each variable or symbol right after its first appearance.

Tables

Tables must be placed at the end of the paper. Each table must have a number and a caption in 12 pt Times New Roman. The caption should appear on top of the table. Tables may be placed at the end of the paper. All quantities in tables should be accompanied with appropriate units. Place each table with one line spacing from its preceding and following texts.

Figures and Drawings

Figures and drawings may be placed at the end of the paper. Drawings must be clear and sharp. Letters, numbers, and legends in illustrations should be large enough and legible. Each figure must have a number and a caption. Captions should be placed below the figures and should be in 12 pt Times New Roman. Make sure that all figures are referred to in the text.

References

References should be cited as [n] in the paper where “n” is the reference number. The reference list should be written in 10 pt Times New Roman. Reference list should appear at the end of the paper (before tables and figures) and the references are to be numbered in the order they are appear in the paper. Only references, which are cited in the paper, should be included. For each reference, adequate details should be given according to the following examples. If you are indicating a document published in Persian language, please add the expression ‘(in Persian)’ at the end. Here are some examples:

- Journals

Use the standard abbreviations for journal names given in the international standard ISO 4. Give the volume number , the year of publication and the first page number.

[Example]

[1] A. Najafizadeh; J. J. Jonas, The Strain Dependence of Post-Deformation Softening during the Hot Deformation of 304H Stainless Steel, ISIJ Int., 3(2006) , 1.



سمپوزيوم صنعت کاشي و سراميك
از خاک تا آینده؛ تحول، نوآوری پایدار در صنعت سرامیک ایران
زمان برگزاری: ۵، ۶ و ۷ آذر ۱۴۰۴



- Conference Proceedings

Give the title of the proceedings , the editor's name if any, the publisher's name, the place of publication , the year of publication and the page number.

[Example]

[2] Y. Chino, K. Jwni and S. Asai , Proc. Of 3rd Int. Symp. On Electromagnetic Processing of Materials, ISIJ, Tokyo , (2000),279.

- Books

Give the title, the volume number , the editor's name if any, the publisher's name, the place of publication, the year of publication and the page number.

[Example]

[3] W. C. Leslie : The Physical Metallurgy of Steels, McGraw.Hill , New York,(1981),621.

[4] U. F. Kocks, A. S. Argon and M. F. Ashby, Progress in Materials Science , Vol. 19 , e.d. by B. Chalmers, Pergamon Press Oxford(1975),146.